


Houston Radar FIB-100-0007 Quick Start

Version 1.1 January 15, 2026

PX150 weatherproof Ethernet surge protector junction box with Ethernet RJ45 connector. All items shown below are sold separately and must be included in the quote.




**HOUSTON
RADAR**

© 2005 to 2026 Houston Radar, LLC.,
702 Julie Rivers Dr. • Sugar Land, Texas 77478
<http://www.houston-radar.com>
Toll free 1(800) 602-3111


Houston Radar FIB-100-0007 Quick Start

Vertical and Horizontal Orientation

When mounting the FIB-100-0007 on a **vertical** pole, orient the junction box on the plate as shown and use these holes.



When mounting the FIB-100-0007 on a **horizontal** pole, orient the junction box on the plate as shown and use these holes.



**HOUSTON
RADAR**

© 2005 to 2026 Houston Radar, LLC.,
702 Julie Rivers Dr. • Sugar Land, Texas 77478
<http://www.houston-radar.com>
Toll free 1(800) 602-3111

Houston Radar FIB-100-0007 Quick Start



NOTE 1: Include a drip loop to prevent water from running along the cable into the gland and to maintain a minimum bend radius.

NOTE 2: Install a cable grommet at the point where the cable enters the pole to protect the cable insulation from sharp edges and to seal the opening against water and dust ingress.

Tighten the FIB-100-0007 Lid Screws to 7 in-lbs.



**HOUSTON
RADAR**

© 2005 to 2026 Houston Radar, LLC.,
702 Julie Rivers Dr. • Sugar Land, Texas 77478
<http://www.houston-radar.com>
Toll free 1(800) 602-3111